



## **Appendix A**

City of Keene, Cheshire County, New Hampshire

### **Cooperating Technical Partner - Mapping Activity Statement**

#### **Hydrologic and Hydraulic Analyses and Floodplain Mapping**

In accordance with the Cooperating Technical Partner (CTP) Memorandum of Agreement dated July 17, 2002 between City of Keene, Cheshire County, New Hampshire and the Federal Emergency Management Agency (FEMA), Mapping Activity Statement is as follows:

- 1. Objective and Scope:** The objective of this Mapping Activity is to develop detailed hydrologic and hydraulic analyses and floodplain and floodway mapping in The City of Keene. Hydrologic analyses will be completed for approximately Sixty-seven (67) square miles of drainage area, and hydraulic analyses and floodplain mapping will be completed for approximately 8.5 linear miles of flooding, including the following flooding sources: Of the Ashuelot River in the City of Keene.
- 2. Period of Performance:** This Mapping Activity will begin June 2002 and will be completed no later than October 2002.
- 3. Standards:** The following standards and documents are relevant to this Mapping Activity:
  - Detailed hydrologic and hydraulic analyses and floodplain mapping will follow the standards set forth in FEMA 37, *Guidelines and Specifications for Study Contractors* (January 1995), and Title 44 of the Code of Federal Regulations (CFR), Part 65. FEMA 37 is available at FEMA's Web site at [http://www.fema.gov/mit/tsd/EN\\_req.htm](http://www.fema.gov/mit/tsd/EN_req.htm). Title 44 of the CFR is available at FEMA's Web site at [www.access.gpo.gov/cqi-bin/cfrassemble.cqi?title=199944](http://www.access.gpo.gov/cqi-bin/cfrassemble.cqi?title=199944).
  - Computer models used for hydrologic and/or hydraulic analyses will meet the requirements of 44 CFR 65.6(a)(6) and be on FEMA's *Numerical Models Accepted by FEMA for NFIP Usage* ([http://www.fema.gov/mit/tsd/EN\\_modl.htm](http://www.fema.gov/mit/tsd/EN_modl.htm)).
  - Topographic mapping used to delineate floodplains and floodways will be of adequate scale and topographic definition to provide reasonable accuracy. Planimetric features will be compatible with the base map (with respect to horizontal accuracy) selected by FEMA for Digital FIRM production. Topographic mapping taken from aerial photogrammetry or surveys will comply with the requirements of Appendix 4 of FEMA 37. The selection of the topographic mapping source to be used will be coordinated with the FEMA Regional Project Officer prior to analysis and mapping.
  - Any levee or dike systems to be shown on the community's FIRM as providing protection from the 1% annual chance flood will comply with the requirements of 44 CFR 65.10. Chapter 7 of FEMA 37 provides guidelines for evaluating levee and dike systems.
  - Flood elevations and floodplain and floodway boundaries will reasonably tie in to non-revised information in accordance with 44 CFR 65.6(a)(2).
  - The floodway will be established in accordance with 44 CFR 65.7, as well as any applicable state and/or community requirements.

- Digital mapping will comply with the requirements of Chapter 9 and Appendix 7 of FEMA 37.
- Digital Elevation Models (DEMs) and field survey data will meet vertical accuracy requirements contained in Appendix 4 of FEMA 37.

**4. Products:** The City of Keene will make available items outlined in Chapter 11 of FEMA 37 in the Technical Support Data Notebook (TSDN) format. These include:

- Digital 1% and 0.2% annual chance floodplain and floodway boundaries;
- Digital profiles of the 10%, 2%, 1%, and 0.2% annual chance water-surface elevations, representing existing conditions;
- Flood Insurance Study (FIS) report;
- Floodway data tables;
- Digital copies of all hydrologic and hydraulic modeling (input and output files); and
- All back-up data used in the analyses or mapping.

**5. Schedule and Milestones:**

**Milestone 1 (Scoping Phase):** Products for the first milestone to be provided to the FEMA Project Officer include:

- Annotated copies of effective FIRMs depicting limits of proposed study.
- Documentation of the proposed source of topographic data, scale, contour interval, source/methodology, date of survey/data collection, vertical and horizontal datums, and comparison of planimetric features with the DFIRM base map selected by FEMA for DFIRM production.
- A written summary of the initial data research, proposed analysis methodologies, and a work plan.
- Copies of topographic maps depicting proposed cross section locations.

**Milestone 2 (Hydrology Phase):** Products for the second milestone to be provided to the FEMA Project Officer include draft hydrologic analyses in accordance with the TSDN format.

**Milestone 3 (Hydraulics Phase):** Products for the third milestone to be provided to the FEMA Project Officer include the hydraulic models and sample floodplain mapping in accordance with TSDN format.

**Milestone 4 (Final Products):** Final products to be provided to the FEMA Project Officer include:

- The completed TSDN and accompanying data containing the information outlined in Section 5 of this Mapping Activity Statement.
- A QA/QC report documenting the results of the independent review of all computational and data processing procedures.

Final products will be made available in accordance with the Period of Performance described in Section 2 of this Mapping Activity Statement.


- 6. Certification:** The following certifications apply to this Mapping Activity (as appropriate):
- Hydrologic and/or hydraulic analyses and data will be certified by a registered Professional Engineer or Licensed Land Surveyor in accordance with 44 CFR 65.6(f).
  - Topographic information will be certified by a registered Professional Engineer or Licensed Land Surveyor in accordance with 44 CFR 65.5(c).
  - If fill is to be considered in the mapping to raise land areas to or above the 1% annual chance flood elevation, certification of the fill will be provided in accordance with 44 CFR 65.5(a)(6) by the community's NFIP permit official, a registered Professional Engineer, or a Licensed Land Surveyor.
  - Any levee systems to be accredited as discussed in Section 4 of this Mapping Activity Statement will be certified in accordance with 44 CFR 65.10(e).


**7. Technical Assistance and Resources:** The City of Keene may obtain copies of FEMA-issued Letters of Map Change (LOMCs), archived engineering back-up data, and data collected as part of the Mapping Needs Assessment Process from FEMA's Mapping Coordination Contractor (MCC). The MCC may be contacted at 1-877 FEMA MAP (1-877-336-2627). General technical and programmatic information, such as FEMA 265, the Quick-2 computer program, and the MT-2 forms, can be downloaded from FEMA's Flood Hazard Mapping Web site ([www.fema.gov/mit/tsd/](http://www.fema.gov/mit/tsd/)). Specific technical and programmatic support may be provided through FEMA's MCC; such assistance should be requested through the FEMA MCC Project Officer specified in Section 12 of this Mapping Activity Statement.

**8. Contractors:** Delta Environmental Services, Inc., Branford, Connecticut.


**9. Points of Contact:** The FEMA Regional Project Officer is Michael Goetz, and the CTP Project Manager for the City of Keene is Rhett Lamb or subsequent personnel of comparable experience who are appointed to fulfill these responsibilities. If it is necessary, the assistance of FEMA's MCC should be requested through the FEMA MCC Project Officer, Firas Makarem.


Each party has caused this Mapping Activity Statement to be executed by its duly authorized representative.

  
 \_\_\_\_\_  
 John A. MacLean, City Manager  
 The City of Keene, NH

  
 \_\_\_\_\_  
 Michael Goetz, FIRA Branch Chief  
 Federal Emergency Management Agency

*N/A*  
 \_\_\_\_\_  
 Firas Makarem, MCC  
 Federal Emergency Management Agency\*

  
 \_\_\_\_\_  
 Date

  
 \_\_\_\_\_  
 Date

\_\_\_\_\_  
 Date

\* MCC PO approval is required only for Mapping Activity Statements in which the MCC is programmed to participate.